



# Swimming Pool Fence Permit Application

285767 Airport Road  
 Norwich, N0J 1P0  
 Telephone 519-468-2410 Website www.norwich.ca

Permit number: (office use only)

Application date (yyyy-mm-dd)

**N20** \_\_\_\_\_

## 1 Property information

Street number	Full street name	Roll number: <b>3202-</b>	Corner lot? <input type="checkbox"/> Yes <input type="checkbox"/> No
Construction value	Pool size	Type of pool <input type="checkbox"/> Inground <input type="checkbox"/> Above ground	

## 2 Owner & Contractor information

Main use of <b>existing</b> building					
Property owner name (person or company)			Contractor name (person or company)		
Address (Street number, name and if applicable, unit or apartment number)			Address (Street number, name and if applicable, unit or apartment number)		
Municipality ie: Village	Province <b>ON</b>	Postal code	Municipality ie: Village	Province <b>ON</b>	Postal code
E-mail address			E-mail address		
Daytime telephone number / extension		Daytime telephone number / extension			

## 3 Contact information

Contact			
<input type="checkbox"/> Property owner named above		<input type="checkbox"/> Authorized agent - Name:	
<input type="checkbox"/> Contractor named above			
Daytime telephone number / extension	Mobile number	E-mail address	

## 4 Swimming Pool Fence Permit

**POOL ENCLOSURE MUST CONFORM TO TOWNSHIP BY-LAW 10-98, INCLUDING BUT NOT LIMITED TO:**

Every fence shall be not less than forty-eight (48) inches in height and bottom of fence must not be more than two (2) inches above grade.

Every fence shall be constructed so that it cannot be used in a similar manner as a ladder.

All gates or doors (excluding door to dwelling house) shall be equipped with a self-closing device and a self-latching device on the poolside at top of the gate to the intent that all gates or doors will remain securely closed when not in actual use.

Every fence enclosing a pool shall be located not closer than 4' to the swimming pool.

i) 2" in any direction if constructed of chain link material.


ii) 3 1/2" horizontal direction if constructed of material other than chain link fencing.

### DECLARATION

- The information contained in this application, attached schedules, attached plans and specifications, and other attached documentation is true to the best of my knowledge.
- If the owner is a corporation or partnership, I have the authority to bind the corporation or partnership.

Date signed \_\_\_\_\_ Signature of  Property owner  Authorized agent


Personal information contained in this form and schedules is collected under the authority of the Municipal Act, and will be used in the administration and enforcement of the Township of Norwich Pool Fence Enclosure By-law. Questions about the collection of personal information may be addressed to: a) the Chief Building Official to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to the fence enclosure By-law.



Horizontal members located on the interior of the fence shall not be less than 42" apart. Chain-link fencing shall have both top and bottom rails to support fence between posts.

**Note:** This is a sample only and not to be submitted as your "Pool Fence Diagram". Locations, dimensions, and shape of your yard may differ. Please ensure you put all dimensions and label all elements of your yard when applying for a pool fence permit. For more information about pools and pool fences, or to apply for a permit, visit [www.norwich.ca](http://www.norwich.ca)

Sample Design



Note: This is a sample only and not to be submitted as your "Pool Fence Diagram". Locations, dimensions, and shape of your yard may differ. Please ensure you put all dimensions and label all elements of your yard when applying for a pool fence permit.

For more information about pools and pool fences, or to apply for a permit, visit [www.norwich.ca](http://www.norwich.ca)

**Horizontal members located on the interior of the fence shall not be less than 42" apart. Chain-link fencing shall have both top and bottom rails to support fence between posts.**